

Příloha č. 2 - Položkový rozpočet

Masarykova univerzita, Lékařská fakulta

Kamenice 753/5, 625 00 Brno, Česká republika

T: [REDACTED], E: [REDACTED], www.med.muni.cz

Bankovní spojení: [REDACTED] ČU: [REDACTED] IČ: 00216224, DIČ: CZ00216224



Položkový rozpočet

Dodávka virtualizačních serverů pro IBA LF MU II

Položk a č.	Položka	Počet ks	Jednotková cena za 1 ks v Kč bez DPH	Cena celkem v Kč bez DPH	Celkem výše DPH v Kč	Cena celkem v Kč včetně DPH	Zdroj financování
1	Virtualizační server						

vyplní účastník v rámci zpracování nabídkové ceny

Množ.	Název	Cena / ks	Cena celkem	Sazba DPH	DPH	Cena s DPH
Servery virtual LF		<i>Kč / ks</i>	<i>Kč</i>	<i>%</i>	<i>Kč</i>	<i>Kč</i>
2	PowerEdge R530 Server					
1	Intel Xeon E5-2620 v4 2.1GHz,20M Cache,8.0GT/s QPI,Turbo,HT,8C/16T (85W) Max Mem 2133MHz					
1	Intel Xeon E5-2620 v4 2.1GHz,20M Cache,8.0GT/s QPI,Turbo,HT,8C/16T (85W) Max Mem 2133MHz					
1	PowerEdge Server FIPS TPM 2.0					
1	On-Board LOM 1GBE (Dual Port for Towers, Quad Port for Racks and Blades)					
1	MOD,INFO,DEO,ENT-ESTAR,R530					
1	3.5" Chassis with up to 8 Hard Drives					
1	Dell EMC 2U Standard Bezel					
1	Internal Dual SD Module					
1	MOD,ASSY,MECH,RSR,X2FH,R530					
1	iDRAC Port Card					
1	PowerEdge R530 Shipping EMEA2 (English/Slovenian/Slovakian/Polish/Czech/Hungar/Greek/Arab)					
1	Fan for 2 CPUs					
1	ReadyRails Sliding Rails With Cable Management Arm					
1	Performance Optimized					
1	MOD,INFO,ORD-ENTRY,2400,RDIMMS					
8	8x 32GB RDIMM, 2400MT/s, Dual Rank, x4 Data Width					
1	Redundant SD Cards Enabled					
2	2x 8GB SD Card For iSDM					
1	iDRAC8 Enterprise, integrated Dell Remote Access Controller, Enterprise					
1	UEFI BIOS Boot Mode with GPT Partition					
1	VFlash, 8GB SD Card for iDRAC Enterprise, V2					
8	8x 480GB Solid State Drive SATA Mix Use MLC 6Gbps 2.5in Hotplug Drive,3.5in HYB CARR, SM863					
1	2.5in Hot-plug Drive,3.5in HYB CARR, S3520					
1	PERC H730 Integrated RAID Controller, 1GB Cache					
1	PowerEdge R430/R530 Motherboard MLK					
1	Performance BIOS Settings					
1	MOD,INFO,FRESH AIR COOLIN,R530					
2	2x Up to 135W Heatsink for PowerEdge R530					
1	No Internal Optical Drive					
1	Optical Drive Filler					
1	Dual, Hot-plug, Redundant Power Supply (1+1), 750W					
2	2x C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord					
1	No RAID for H330/H730/H730P (1-8 HDDs or SSDs)					
1	3Yr ProSupport and Next Business Day On-Site Service					
Základ DPH 15%			0,0 Kč	DPH	15%	0,0 Kč
Základ DPH 21%			426 300,0 Kč	DPH	21%	89 523,0 Kč
Celkem bez DPH			426 300,0 Kč	Celkem s DPH		515 823,0 Kč